

CONTENTS

| | <i>Page No.</i> |
|---|-----------------|
| PRESIDENTIAL ADDRESS "Then and now" | |
| E.K. Tratman | 395 |
| 1. GEOLOGY AND MINERALOGY | |
| Morphological and Geophysical surveys on some Dolinas of the Southern Monte Baldo (Venetian) Pre-Alps | |
| G. Benevenuti & U. Sauro | 33 |
| Crystallite Precursors and the Genesis of Irregular Crystal Boundaries in Radial Fibrous Carbonate Fabrics | |
| P.L. Broughton | 84 |
| Lamination or Varves? Processes and Mechanisms of Fine Grained Sediment Deposition in Caves | |
| P.A. Bull | 86 |
| Surge Marks in Caves | |
| P.A. Bull | 89 |
| The Ogof Ffynnon Ddu cave system related to Geological Structure | |
| R.A.P. Charity & N.S.J. Christopher | 108 |
| Methodology in the analysis of Quaternary Cave Sediments: A Preliminary Review | |
| S.N. Collcut | 121 |
| Mineral Veins and Cave Development | |
| T.D. Ford & N.E. Worley | 192 |
| Calcareous Cave Pearls with Gypsum Nucleus — An Example of Dissolution Precipitation Equilibrium for the System Calcite-Gypsum | |
| P. Forti & G. Pasini | 196 |
| Exogenetic Gypsum Tectonics | |
| K.A. Gorbunova | 222 |
| Speleogenesis in the Guadalupe Mountains, New Mexico: Gypsum Replacement of Carbonate by Brine Mixing | |
| A.N. Palmer, M.V. Palmer & J.M. Queen | 333 |
| Geology and Origin of the Caves of Bermuda | |
| A.N. Palmer, M.V. Palmer & J.M. Queen | 336 |
| Recenti ricerche sui campi solcati del Veneto e del Trentino | |
| G. Perna & U. Sauro | 342 |
| Paleokarst of plain territories and specific features of their morphology | |
| A.V. Stupishin | 389 |

| | | |
|---|--|-----|
| The Geographical Distribution of Karst Areas | | |
| D. Balazs | | 13 |
| Karst du Mongolie (Italie): Un Exemple Typique du Karst de Montagne | | |
| C. Balbiano d'Aramengo, V. Bergerone & F. Cossutta | | 17 |
| Interrelation of some Factors of Karst Corrosion in a Bükk doline | | |
| I. Barany & G. Mezosi | | 20 |
| On the Occurrence and Origin of Karren on Granodiorite in Puerto Rico | | |
| B.F. Beck & C. Cram | | 28 |
| Evidence of Uplift and Glaciations from Selminum Tem – Papua New Guinea | | |
| D. Brook | | 74 |
| Preliminary Thoughts on a Structural – Lithological Model of Karst Landform Development | | |
| G.A. Brook | | 81 |
| The Sequential Development of Karst Landforms in the Nahanni Region of Northern Canada and a Remarkable Size Hierarchy | | |
| G.A. Brook & D.C. Ford | | 77 |
| Surface Karst Landforms on the Moroccan Hamada of Guir | | |
| V. Castellani & W. Dragoni | | 98 |
| Surface Roughness in Tropical Karst Terrain | | |
| M.J. Day | | 139 |
| Sobre la Morfogenesis de Ciertos Conductos Pseudokarsticos | | |
| A.A. Donay | | 152 |
| Karst Morphology in Subarctic Sweden | | |
| L. Engh | | 168 |
| Erosion Cryptokarstique Actuellement Active dans le Sud de la France | | |
| G. Fabre | | 183 |
| Karst and Glaciation in Canada | | |
| D.C. Ford | | 188 |
| Preliminary Results on the Texture of Limestone Clitter | | |
| R. Frank | | 199 |
| Towards the Terminology of the Polje | | |
| I. Gams | | 201 |
| Simulation of Rillenkarren | | |
| J.R. Glew | | 218 |
| Morphology of Gypsum Karst | | |
| K.A. Gorbunova | | 221 |
| A Model of the Drainage System of a Polygonal Karst Depression in the Waitomo Area, North Island, New Zealand | | |
| J. Gunn | | 225 |
| The Hydrology of Polygonal Karst in the Waitomo Area, North Island, New Zealand | | |
| J. Gunn | | 229 |

| | | |
|--|--|-----|
| Types of Karst in the U.S.S.R. and in the World | | |
| N.A. Gvozdetzky | | 235 |
| Genetic Types of the Superficial Karst Forms | | |
| N.A. Gvozdetzky | | 236 |
| New Kind of Karst Forms on the Chalk Area Lublin Upland/East Poland | | |
| M. Harasimiuk & A. Henkiel | | 238 |
| Glaciokarstic Development in Ordovician Carbonates—Western Newfoundland | | |
| M. Karolyi | | 252 |
| Karst Landforms and Speleogenesis in Precambrian Granite, Llano County, Texas, U.S.A. | | |
| E.H. Kastning | | 253 |
| Setting of Karstic Denudation in the Global Denudation of the Earth's Surface | | |
| S. Lang | | 282 |
| Karren of the Littoral Zone, Burren District, Co. Clare, Ireland | | |
| J. Lundberg | | 291 |
| Karren at Chillagoe, Australia | | |
| J. Lundberg | | 294 |
| Karst of the Caves Branch, Belize | | |
| T.E. Miller | | 314 |
| Contrast in Karst Morphology in Northern and Southern Puerto Rico due to Climatic Differences | | |
| W.H. Monroe | | 319 |
| Crypto-Corrosion et Surfaces de Corrosion | | |
| J. Nicod | | 325 |
| Deux Karst du Gypse Remarquables des Alpes Occidentales | | |
| J. Nicod | | 321 |
| Karst de la Haute-Saumon, Ile Anticosti, Québec: Modèle de Développement d'une Karst Jeune | | |
| J. Roberge | | 371 |
| Infilled dolines in the northern Polish Jura region | | |
| A. Szyrkiewicz | | 391 |
| Cave Development in Non-Calcareous Archaean Igneous Rocks | | |
| L. Tell | | 393 |
| The Role of a Soil Cover in Limestone Weathering, Cockpit Country, Jamaica | | |
| S.T. Trudgill | | 401 |
| A Comparison of Tropical and Temperate Marine Karst | | |
| S.T. Trudgill | | 404 |
| Speleologic Aspects of Pachmarhi (Upper Gondwana) Sandstone, Central India | | |
| V.K. Verma & V. Ramesh | | 408 |

3. SPELEOGENESIS

| | | |
|--|---|-----|
| Radiometric Dating of Speleothems and Cavern Development in the Mendip Hills, England | T.C. Atkinson, R.S. Harmon & P.L. Smart | 5 |
| The Sediments of Carslswark Cavern, Derbyshire | J.S. Beck | 31 |
| Some Considerations on the Applicability of Speleogenetic and Morphogenetic Theories | A. Bini & G. Cappa | 45 |
| The Development of Bisbino Mt. Hypogean Karstic System in Correlation with the Palaeogeographical Evolution of the Region | A. Bini & G. Cappa | 38 |
| Les Grottes Tectoniques en Roches Karstifiables; Caracteres Morphologiques de Comparaison | R. Bixio | 47 |
| Cave Boulder Chokes and Doline Relationships | P.A. Bull | 93 |
| Bedding Plain Anastomoses as Evidence of Erosion in Different Rocks | V. Castellani & A.A. Cigna | 102 |
| Sur trois Systemes Karstiques de Grande Ampleur: Eynif, Kembos et Dumanli | C. Chabert | 105 |
| The Structure and Evolution of the Dan yr Ogof Caves, South Wales | A.C. Coase | 116 |
| The Dating of Cave Development: an Example from Botswana | H.J. Cooke & B.Th. Verhagen | 122 |
| Breakout Domes in S. Wales Caves | C.W. Davies | 136 |
| Le Systeme de la Riviere St. Vincent — Karst de la Pierre St. Martin | M. Douat | 153 |
| Genetic Classification of Solutional Cave Systems | D.C. Ford | 189 |
| Phreatic Caves and Sediments at Matlock, Derbyshire | T.D. Ford & N.E. Worley | 194 |
| Genetic types of caves in the Sahara | D. Gavrilovic | 211 |
| Proglacial Caves — a Special Genetic Type of Caves | J. Glazek, J. Rudnicki & A. Szykiewicz | 215 |
| A Conceptual Model of Cave Development in a Glaciated Region | R.R. Glover | 220 |
| Collapsing of Speleothems in Postojna Cave System | R. Gospodaric | 223 |
| Fluvio-Glacial Cave Sediments — A Contribution to the Speleochronology (Jama V Strasilu, Julian Alps, Slovenia, Yugoslavia) | J. Hladnik & A. Kranjc | 240 |

| | |
|---|-----|
| Sediments Fluviaux et Evolution de l'Obstruction de la Paleosource du Ruisseau de Jedovnice dans le Karst Morave | |
| D. Hypr | 246 |
| Genetic Problems of the Huge Gypsum Caves of the Ukraine | |
| L. Jakucs & G. Mezosi | 248 |
| A Feasibility Study of the Palaeomagnetism of Stalagmite Deposits | |
| A. Latham | 280 |
| The Pierre Saint Martin Karst | |
| J.F. Pernette | 344 |
| Conservation of Tectonic Waves in the Axes of Stalagmites over long Periods | |
| B. Schillat | 377 |
| Tectonic Control of Speleogenesis in Jamaica | |
| G. Wadge & G. Draper | 416 |
| Influence of Lithology on Jamaican Cave Morphology | |
| G. Wadge & G. Draper | 414 |
| Cave Development at the Base of the Limestone in Yorkshire | |
| A.C. Waltham | 421 |
| Chronology of Cave Development in the Yorkshire Dales, England | |
| A.C. Waltham & R.S. Harmon | 423 |
| Origin and Morphogenesis of Lava Tubes | |
| C. Wood | 440 |

4. HYDROGEOLOGY

| | |
|--|-----|
| Results of the Experimental Studies of the Crack Surface Solubility of Carbonate Rocks of Various Microstructure | |
| E.M. Abashidze | 1 |
| Changes in Karstic Water Level by Influences of Natural and Human Activities based on the Data of Observation Networks in Hungary | |
| T. Böcker | 53 |
| Study to Calculate the Permeability of Karstic Fissured Rocks by Assumption of an Elliptical Potential Field around the well | |
| T. Böcker | 50 |
| The Morphology of the Water Channels of the Source of the Rjecina River | |
| S. Bozicevic | 64 |
| Karst Cycles and Underground Water Flow in the Iglesias Mining District (Sardinia, Italy) | |
| M. Civita, T. Coccozza & G. Perna | 114 |
| Some Karst Characteristics of the Rye House Risings, near Helmsley, Yorkshire | |
| R.G. Cooper & A.F. Pitty | 124 |
| Surface Hydrology within Polygonal Karst Depressions in Northern Jamaica | |
| M.J. Day | 143 |
| The Microclimate of the Karst Cavities of the Mountain Crimea | |
| V.N. Dublyansky & L.M. Sockova | 158 |

5. CAVE CHEMISTRY AND PHYSICS

| | |
|---|-----|
| Relations entre la Dynamique des Eaux du Karst et les processus de Karstification | |
| M. Bakalowicz | 10 |
| The Optical Geo-climatic Provinces of Karstification | |
| D. Balazs | 15 |
| Rapid Aggressiveness Assessment using Conductimetry | |
| L.G. Bray | 68 |
| The Role of Organic Matter in Limestone Solution in the Ogof Ffynnon Ddu Streamway | |
| L.G. Bray | 65 |
| Relative Concentration of Sodium to Potassium in Karst and Allogenic Waters | |
| N.S.J. Christopher | 110 |
| Die Losungintensitat von Bachen, die an dem Kristallin Stammen in Kalkig-Dolomitischen Komplexen | |
| A. Droppa | 156 |
| About Ionic Migrations in Karstic Environment | |
| A. Eraso | 170 |
| Trace Element Geochemistry of Speleothems | |
| M. Gascoyne | 205 |
| Does the Presence of Stalagmites really indicate warm Periods? New Evidence from Yorkshire and Canadian Caves | |
| M. Gascoyne | 208 |
| Paleoclimatic significance of submerged speleothems | |
| M. Gascoyne & G.J. Benjamin | 210 |
| Air Conditioning Surface Buildings with Cave Air | |
| R.H. Gurnee | 232 |
| Solution Velocities on Facets: Vessel Experiments | |
| S. Kempe & R. Hartmann | 256 |
| Excentrics: Their capillaries and growth rates | |
| S. Kempe & C. Spaeth | 259 |
| Methods of Determination of Laminar Flows Effects on Cave Development Processes | |
| C. Minganti, R. Braggio & A. Zucchiatti | 314 |
| Rejuvenation of Aggressiveness in Calcium Carbonate Solutions by Means of Magnesium Carbonate | |
| R.G. Picknett | 346 |
| Foreign Substances and Calcite Solubility in Carbonated Waters | |
| R.G. Picknett | 348 |
| Calcium Hardness Fluctuations in the Show-cave Section of White Scar Cave, Ingleton | |
| A.F. Pitty, J.L. Bracewell & R.A. Halliwell | 359 |
| The Natural Removal of Some Heavy Metals from Streams by Limestone | |
| R.D. Stenner | 384 |
| The Concentrations of Some Heavy Metals in Sediments in Some Mendip Caves, and an Assessment of the Significance of Un-natural Contamination | |
| R.D. Stenner | 383 |

| | | |
|-----|--|-----|
| | Reaction Rates and Equilibrium Levels in the Dissolution of Limestone in Organic Acids | |
| | S.T. Trudgill | 399 |
| 10 | Solution of Marble in N.W. Nelson, New Zealand | |
| | P.W. Williams | 436 |
| 15 | | |
| | 6. SPELEOBIOLOGY | |
| 68 | Anatomie et Systematique des Hydrobides Hypogés (Mollusques Gastéropodes) du Jura | |
| | R. Bernasconi | 37 |
| 65 | Influence du Milieu Exterieur et des Facies Physiques des Biotopes Cavernicoles sur le | |
| 10 | Peuplement des Entrées de Trois Grottes | |
| | J.D. Bourne | 60 |
| | A 'Living Fossil' in the Twilight Zone: A Cave-Wall Bacterium of Unique Ultrastructure | |
| 56 | G. Cox | 129 |
| 70 | Photosynthesis in the Deep Twilight Zone: Micro-Organisms with Extreme Adaptations | |
| | to Low Light | |
| | G. Cox & H. Marchant | 131 |
| 205 | Certains Criteres d'Identification des Rapports de Parente entre Genres de la Famille des | |
| | Neobisiidae (Pseudoscorpiones, Arachnida) | |
| | B.P.M. Curčić | 134 |
| 208 | On the Affinities of Some Yugoslav Troglobitic Spiders | |
| | C.L. Deeleman-Reinhold | 146 |
| 210 | Les Populations d'Arthropodes Hypogés Terrestres | |
| | B. Delay | 150 |
| 232 | Taxonomic Structure of Cave Algal Flora | |
| | S.J. Draganov | 155 |
| 256 | Oligochaetes from Caves in the Tatra Mountains with Reference to Anomalies in their | |
| | Structure | |
| | E. Dumnicka | 160 |
| 259 | Annual Changes of Oligochaete Faunas in a Cave of the Krakow-Czechochowa Upland | |
| | E. Dumnicka | 163 |
| 314 | Application de l'Analyse Canonique a la Systematique des Bathysciinae (Col. Catopidae) | |
| | O. Escola & C.M. Cuadras | 175 |
| 346 | Les Staphylinidae (Col.) Cavernicoles de la Mediterranée Occidentale | |
| | F. Espanol | 180 |
| 348 | <i>Proasellus cavaticus</i>, Origine et Anciennete | |
| | J.P. Henry | 243 |
| 359 | Holocene Vertebrate Studies in Hungarian Caves | |
| | L. Kordos | 272 |
| 384 | Ferns in Cave Entrances | |
| | O.C. Lloyd | 288 |
| 383 | Remarques sur la Composition des Populations Cavernicoles de <i>Stenasellus virei</i> Dollfus | |
| | (Crustacea Isopoda Asellota) | |
| | G. Magniez | 296 |

| | |
|--|-----|
| Biological Researches of Pegmatite Caves in Slovenia (Yugoslavia) | |
| T. Novak & N. Sivec | 328 |
| Hibernation of Bats in the Caves of Siberia | |
| N.D. Ovodov | 332 |
| Distribution and Response to Light of Unpigmented and Pigmented <i>Gammarus pulex</i> L | |
| T.G. Pearce & M. Cox | 351 |
| The Activity of Lumbricidae in a Northern English Cave | |
| T.G. Pearce & E.J. Wells | 353 |
| Certaines Caracteristiques de la Distribution des Oniscoides Inferieurs dans les Grottes de la Yougoslavie | |
| M.A. Pljakic | 364 |
| "Cimetieres" de Chauves-Souris dans la Grotte Baradla D'Aggtelek | |
| J. Racz | 368 |
| Au sujet de plusieurs Années de baguage de Chiropteres dans le S.W. de la France | |
| P. Saumande | 373 |
| Recherches Biospeologiques au Guatemala | |
| P. Strinati | 387 |
| Relations entre les Tailles, les Biomasses, les Teneurs en Eau et en Liquides chez deux especes de Collembules selon leur Repartition dans la Grotte de Sainte-Catherine (Ariege, France) | |
| J.M. Thibaud & G. Vannier | 393 |
| Energy Flow and Faunistic Distribution In Karst entrances | |
| M.J. Turquin & Y. Bouvet | 406 |
| The Biospeological Importance of Non-Calcareous Caves | |
| S.I. Ueno | 407 |
| Control of Locomotion Activity in Troglomite Beetles | |
| F. Weber | 425 |
| 7. ARCHEOLOGY & PALAEONTOLOGY | |
| Sacred Caves in Strandze Mountain, S.E. Bulgaria | |
| G. Antonov | 2 |
| Application des methodes de la Geologie du Quaternaire a l'Etude de la Speleogenese — Exemples pris dans le Grottes Belges | |
| B. Bastin, C. Dupuis & Y. Quinif | 24 |
| The fossil Fauna of Karst Cave from Eastern Shore of Black Sea Coast | |
| N.I. Burchak-Abramovich | 96 |
| Fossil man and his cultures | |
| E. Coufalik | 128 |
| Cave Deposits at Kozi Grzbiet/Holy Cross Mts., central Poland, with Vertebrate and small Fauna of the Mindelian I/Mindelian II Interglacial and its Stratigraphic Correlations | |
| J. Glazek et al | 211 |
| Mammalia Fossils from the Caves of Sikhote-Alin | |
| N.D. Ovodov | 332 |

| | |
|---|-----|
| Variations de l'Agressivité des Eaux de Sources Karstiques Provencales | |
| G. Fabre & J. Nicod | 184 |
| Falling Base Levels, Increasing Permeability and Chalk Dry Valleys | |
| J. Fermor | 186 |
| Some Considerations on Karst Denudation and New Modification of Formula for its Calculation | |
| T. Kiknadze | 263 |
| General Outlines of Underground Karst Water Basins of Alpine Folded Systems | |
| T. Kiknadze | 265 |
| Study of the Underground Karst by Means of Surface Radiometric Survey | |
| M. Komarova & E. Shtengelov | 267 |
| Hydrology of Ayn Zayanah, Libya | |
| A. Kosa | 275 |
| Ein mit Fakalschlamm Gefullter Alpiner Schacht – Chemischer und Bakteriologischer Wirkungen | |
| W. Krieg | 277 |
| Physico-chimique des Eaux de Charetalp, Suisse | |
| B. Loiseleur & H. Salvayre | 288 |
| The West Driefontein Cave and its Significance to the Paleohydrology of the Far West Rand | |
| J. Martini, I. Kavalieris & F.F. Stuart | 299 |
| Hydrogeology of the Karsts of the U.S.S.R. | |
| G.A. Maximovich | 309 |
| Subterranean Water Obstructing Speleological Work and the By-pass Operations | |
| O. Ondrousek, E. Coufalik, G. Cubuk, M. Kala & H. Salm | 331 |
| Water Temperatures at Black Keld | |
| A.F. Pitty & P.A. Whittel | 363 |
| The Karst Hydrogeology of the Southern Slope of the Greater Caucasus in the Racha Limestone Massif | |
| K. Rakviashvili | 370 |
| Karst Drainage Patterns in the Long Mountains of the Eastern United States | |
| J.W. Saunders, D.M. Medville & W.E. Koerschner | 375 |
| The Hydrochemical Zonality and the Velocity of Karst Process | |
| V.I. Shutov | 379 |
| Hydrogeology of Gypsum Karst | |
| G.A. Sweet | 390 |
| River regime elemnts and water balances of a mountain karstic region | |
| L.A. Vladimirov & G.N. Gigineishvili | 410 |
| Tracing the Principal Source of New Zealand's Largest Spring | |
| P.W. Williams | 432 |

| | | |
|--|--|------------|
| The remains of mammalian carnivores in Siberian caves | | 333 |
| N.D. Ovodov | | |
| New Data on the Stratigraphy of the Petralona Cave | | 366 |
| N.A. Poulianos | | |
| A Late Upper Palaeolithic Calculator (?) from Gough's Cave, Cheddar, Mendip | | 398 |
| E.K. Tratman | | |
| The Westbury-sub-Mendip Cave and the Earliest Evidence for Man in Britain | | 396 |
| E.K. Tratman | | |
| 8. DOCUMENTATION | | |
| Cave Documentation in Hungary | | 271 |
| L. Kordos | | |
| Speleological Documentation in France | | 282 |
| R. Laurent | | |
| A National Cave Recording System | | 307 |
| P.G. Matthews | | |
| Computer Application in British Speleology | | 430 |
| J.D. Wilcock | | |
| 9. TECHNIQUES AND EQUIPMENT | | |
| Test Methods for Caving Equipment | | 71 |
| B. Brew | | |
| Cave Rescue in the United Kingdom | | 101 |
| E.C. Catherine | | |
| The Structure and Activity of the Hungarian Cave Rescue Service | | 133 |
| L. Csernavölgyi | | |
| Thermal Properties of Abseiling Devices | | 165 |
| A.J. Eavis | | |
| New Methods in the Use of Speleological Ropes | | 203 |
| M. Garasic | | |
| The Speleophone — A Radio Frequency Cave Communication System | | 219 |
| R.R. Glover & R.O. Mackin | | |
| Construction of Shafts in Metamorphosed Karstic Formations | | 251 |
| M. Kala, G. Cubuk, H. Salm, O. Ondrousek & E. Coufalik | | |
| A Truly Foot over Foot Prusik Method | | 286 |
| J.R. Letheren | | |
| Aperçu sur les Speleo-Secours dans le Monde | | 303 |
| A. de Martynoff | | |
| Commission for Cave Diving and its Work | | 357 |
| F.T. Piskula | | |
| Cave Diving, its Present State and its Future | | 356 |
| F.T. Piskula | | |

| | |
|---|------------|
| The Utilization and Development of Cave Rescue Resources | 380 |
| D.I. Smith | |
| A Special Method of Descending into Caves | 411 |
| B. Vrbeek | |
| Electronically Controlled Cave Light | 419 |
| J. Wallace | |
| Cave Rescue Facilities under Different Conditions | 439 |
| A. Wojciak | |

10. CONSERVATION AND TOURISM

| | |
|--|------------|
| Das Höhlenbad in Miskolc-Tapolca steht im Dienste der Therapie des Menschen | 22 |
| J. Barsonyos | |
| Conservation des Cavernes Amenees Resultats obtenus dans quelques Pays d'Europe Occidentale | 96 |
| V. Caumartin | |
| The System Approach to Problem of Cave Transformation for Tourism and Recreation | 255 |
| R.M. Kasumov | |
| Tourisme Speleologique en Belgique | 305 |
| A. de Martynoff | |
| Utilization of Caves in Different Times | 310 |
| G.A. Maximovich | |
| The Conservation and Management of Caves in Tasmania | 311 |
| G.J. Middleton | |
| Plitvice Lakes as a Karst Phenomenon and as a Tourist Spot | 339 |
| Z. Pepeonik | |
| Caves, a Motivational Focus in Geological Education | 394 |
| G.H. Thompson Jr. | |
| Evaluating Caves and Karst | 427 |
| N.J. White & E. Hamilton-Smith | |

Published by and obtainable from
The British Cave Research Association

Bryan Ellis,
7 School Lane,
Combwich,
Bridgwater,
Somerset. TA5 2QS.

Copyright ©

All rights of reproduction reserved